

Package: chlorpromazineR (via r-universe)

October 14, 2024

Title Convert Antipsychotic Doses to Chlorpromazine Equivalents

Version 0.2.0

Description As different antipsychotic medications have different potencies, the doses of different medications cannot be directly compared. Various strategies are used to convert doses into a common reference so that comparison is meaningful. Chlorpromazine (CPZ) has historically been used as a reference medication into which other antipsychotic doses can be converted, as "chlorpromazine-equivalent doses". Using conversion keys generated from widely-cited scientific papers, e.g. Gardner et al. 2010 <[doi:10.1176/appi.ajp.2009.09060802](https://doi.org/10.1176/appi.ajp.2009.09060802)> and Leucht et al. 2016 <[doi:10.1093/schbul/sbv167](https://doi.org/10.1093/schbul/sbv167)>, antipsychotic doses are converted to CPZ (or any specified antipsychotic) equivalents. The use of the package is described in the included vignette. Not for clinical use.

URL <https://docs.ropensci.org/chlorpromazineR/>,
<https://github.com/ropensci/chlorpromazineR>

BugReports <https://github.com/ropensci/chlorpromazineR/issues>

Depends R (>= 3.5)

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Suggests knitr, rmarkdown, testthat, covr

VignetteBuilder knitr

Repository <https://ropensci.r-universe.dev>

RemoteUrl <https://github.com/ropensci/chlorpromazineR>

RemoteRef master

RemoteSha 6fa5e312f8994e8e14ae202f3f3da260c0d9d8a8

Contents

add_key	2
check_ap	3
check_key	4
davis1974	4
gardner2010	5
gardner2010_withsai	6
leucht2016	6
leucht2020	7
to_ap	7
to_cpz	9
trim_key	10
woods2003	11

Index	12
--------------	-----------

add_key	<i>Combine 2 keys with base key taking precedence</i>
---------	---

Description

Use this to combine 2 keys by using the whole "base" key, and adding any antipsychotics from the "added" key that are not in the "base" key.

Usage

```
add_key(base, added, trim, verbose = TRUE)
```

Arguments

base	the base key
added	the key from which other antipsychotics are found to add
trim	TRUE to use trim_key on both the base and added key, needed when one does not use the full names (e.g. leucht2016).
verbose	If TRUE, added antipsychotic names will be shown in a message

Value

a merged key

See Also

Other key functions: [check_key\(\)](#), [trim_key\(\)](#)

Examples

```
add_key(gardner2010, leucht2016, trim = TRUE)
```

check_ap	<i>Checks whether antipsychotic names are in the key</i>
----------	--

Description

Provided a data.frame, x, this checks that the antipsychotic names stored in the x's variable ap_label are present in the key.

Usage

```
check_ap(  
  input_data,  
  key = chlorpromazineR::gardner2010,  
  ap_label,  
  route,  
  route_label  
)
```

Arguments

input_data	data.frame with antipsychotic name and dose data
key	source of the conversion factors—defaults to Gardner et al. 2010
ap_label	column in x that stores antipsychotic name
route	options include "oral", "sai", "lai" or "mixed"
route_label	if "mixed" route is specified, provide the column that stores the route information

Value

number of antipsychotic names in x[,ap_label] that don't match key

Examples

```
participant_ID <- c("P01", "P02", "P03", "P04")  
age <- c(42, 29, 30, 60) # not used in calculation, just shows other data  
# can exist in the data.frame  
antipsychotic <- c("olanzapine", "olanzapine", "quetiapine", "ziprasidone")  
dose <- c(10, 12.5, 300, 60)  
example_oral <- data.frame(participant_ID, age, antipsychotic, dose,  
  stringsAsFactors = FALSE)  
check_ap(example_oral, ap_label = "antipsychotic", route = "oral",  
  key = gardner2010)
```

check_key	<i>Check whether a conversion key is the expected format</i>
-----------	--

Description

chlorpromazineR uses conversion factors stored in a named list of 3 named lists. This verifies that the key is in a usable format, which can be helpful when creating custom keys or modifying included keys.

Usage

```
check_key(key)
```

Arguments

key the key to check

Value

TRUE if the key is valid, otherwise a error is thrown.

See Also

Other key functions: [add_key\(\)](#), [trim_key\(\)](#)

Examples

```
check_key(gardner2010)
```

davis1974	<i>Chlorpromazine equivalent key from Davis 1974 data</i>
-----------	---

Description

A list of antipsychotics and their chlorpromazine equivalent doses, generated from the following file included with the package: `system.file("extdata", "davis1974.csv", package="chlorpromazineR")`.

Usage

```
davis1974
```

Format

A named list of 3 named lists (1 for each route) and each sub-list contains the conversion factors for each antipsychotic. The 3 top-level lists are named 'oral', 'sai', and 'lai' (route), and the lists they contain have names corresponding to the antipsychotic, e.g. 'olanzapine'.

Source

John Davis (1974). Dose equivalence of the anti-psychotic drugs. *Journal of Psychiatric Research*, 11, 65-69. <[https://doi.org/10.1016/0022-3956\(74\)90071-5](https://doi.org/10.1016/0022-3956(74)90071-5)>

gardner2010

Chlorpromazine equivalent key from Gardner et al. 2010 data

Description

A list of antipsychotics and their chlorpromazine equivalent doses, generated from the following file included with the package: `system.file("extdata", "gardner2010.csv", package="chlorpromazineR")`.

Usage

```
gardner2010
```

Format

A named list of 3 named lists (1 for each route) and each sub-list contains the conversion factors for each antipsychotic. The 3 top-level lists are named 'oral', 'sai', and 'lai' (route), and the lists they contain have names corresponding to the antipsychotic, e.g. 'olanzapine'.

Details

The SAI data is not included in this key, because the original study did not specify a conversion factor from chlorpromazine LAI to oral. The alternative key `gardner2010_withsai` can be used, which includes the SAI data, but the chlorpromazine equivalent doses produced are equivalent to chlorpromazine SAI not chlorpromazine oral. They could be manually converted (e.g. by multiplying the SAI doses by 3 per equivalence noted by Davis 1974 <[https://doi.org/10.1016/0022-3956\(74\)90071-5](https://doi.org/10.1016/0022-3956(74)90071-5)>)

Source

Gardner, D. M., Murphy, A. L., O'Donnell, H., Centorrino, F., & Baldessarini, R. J. (2010). International consensus study of antipsychotic dosing. *The American Journal of Psychiatry*, 167(6), 686–693. <<https://doi.org/10.1176/appi.ajp.2009.09060802>>

gardner2010_withsai *Chlorpromazine equivalent key from Gardner et al. 2010 data*

Description

A list of antipsychotics and their chlorpromazine equivalent doses, generated from the following file included with the package: `system.file("extdata", "gardner2010.csv", package="chlorpromazineR")`.

Usage

```
gardner2010_withsai
```

Format

A named list of 3 named lists (1 for each route) and each sub-list contains the conversion factors for each antipsychotic. The 3 top-level lists are named 'oral', 'sai', and 'lai' (route), and the lists they contain have names corresponding to the antipsychotic, e.g. 'olanzapine'.

Details

The SAI equivalents produced by this key are equivalent to chlorpromazine SAI not oral. They could be manually converted.

Source

Gardner, D. M., Murphy, A. L., O'Donnell, H., Centorrino, F., & Baldessarini, R. J. (2010). International consensus study of antipsychotic dosing. *The American Journal of Psychiatry*, 167(6), 686–693. <<https://doi.org/10.1176/appi.ajp.2009.09060802>>

leucht2016 *Chlorpromazine equivalent key from Leucht et al. 2016 data*

Description

A list of antipsychotics and their chlorpromazine equivalent doses, generated from the following file included with the package: `system.file("extdata", "leucht2016.csv", package="chlorpromazineR")`.

Usage

```
leucht2016
```

Format

A named list of 3 named lists (1 for each route) and each sub-list contains the conversion factors for each antipsychotic. The 3 top-level lists are named 'oral', 'sai', and 'lai' (route), and the lists they contain have names corresponding to the antipsychotic, e.g. 'olanzapine'.

Source

Leucht, S., Samara, M., Heres, S., & Davis, J. M. (2016). Dose Equivalents for Antipsychotic Drugs: The DDD Method. *Schizophrenia Bulletin*, 42(suppl_1), S90–S94. <<https://doi.org/10.1093/schbul/sbv167>>

leucht2020

Antipsychotic equivalent key from Leucht et al. 2020 data

Description

A list of antipsychotics and their olanzapine-equivalent doses, generated from the following file included with the package: `system.file("extdata", "leucht2020.csv", package="chlorpromazineR")`.

Usage

```
leucht2020
```

Format

A named list of 3 named lists (1 for each route) and each sub-list contains the conversion factors for each antipsychotic. The 3 top-level lists are named 'oral', 'sai', and 'lai' (route), and the lists they contain have names corresponding to the antipsychotic, e.g. 'olanzapine'.

Details

This reference does not include chlorpromazine, so the conversion from leucht2016 is implied (i.e. $\text{chlorpromazine} = \text{olanzapine} * 30$).

Source

Leucht, S., Crippa, A., Sifis, S., Patel, M., Orsini, N. & Davis, J. M. (2020). Dose-Response Meta-Analysis of Antipsychotic Drugs for Acute Schizophrenia. *American Journal of Psychiatry*. 117(4). <<https://doi.org/10.1176/appi.ajp.2019.19010034>>

to_ap

Calculates equivalent doses

Description

As in `to_cpz()`, `to_ap()` converts doses of antipsychotics into equivalent doses to a reference antipsychotic. Whereas in `to_cpz()` the reference antipsychotic is chlorpromazine (CPZ), `to_ap()` converts to equivalents of an arbitrary antipsychotic specified as a string to `convert_to_ap`. Conversion factors are specified in the key.

Usage

```
to_ap(
  input_data,
  convert_to_ap = "olanzapine",
  convert_to_route = "oral",
  ap_label,
  dose_label,
  route = "oral",
  key = chlorpromazineR::gardner2010,
  cpz_eq_label = "cpz_eq",
  ref_eq_label = "ap_eq",
  factor_label = "cpz_conv_factor",
  route_label = NULL,
  q_label = NULL
)
```

Arguments

<code>input_data</code>	data.frame with antipsychotic name and dose data
<code>convert_to_ap</code>	name of desired reference antipsychotic
<code>convert_to_route</code>	the route of the desired reference antipsychotic
<code>ap_label</code>	column in x that stores antipsychotic name
<code>dose_label</code>	column in x that stores dose
<code>route</code>	options include "oral", "sai", "lai" or "mixed"
<code>key</code>	source of the conversion factors—defaults to Gardner et al. 2010
<code>cpz_eq_label</code>	the name of the column to be created, to save the calculated CPZ-equivalent dose
<code>ref_eq_label</code>	the name of the column to be created to save the doses in terms of the specified reference antipsychotic (in <code>convert_to_ap</code>)
<code>factor_label</code>	the name of the column to be created to store the conversion factors
<code>route_label</code>	if "mixed" route is specified, provide the column that stores the route information
<code>q_label</code>	if long-acting injectable doses are included, provide the column that stores the injection frequency (days), or only if the doses have already been divided, set <code>q_label = 1</code> .

Value

data.frame with new variables storing conversion factor and CPZ-equivalent doses

See Also

Other conversion functions: [to_cpz\(\)](#)

Examples

```

participant_ID <- c("P01", "P02", "P03", "P04")
age <- c(42, 29, 30, 60) # not used in calculation, just shows other data
                        # can exist in the data.frame
antipsychotic <- c("olanzapine", "olanzapine", "quetiapine", "ziprasidone")
dose <- c(10, 12.5, 300, 60)
example_oral <- data.frame(participant_ID, age, antipsychotic, dose,
                           stringsAsFactors = FALSE)
to_ap(example_oral, convert_to_ap="olanzapine", convert_to_route="oral",
       ap_label = "antipsychotic", dose_label = "dose", route = "oral")

```

to_cpz

*Calculates chlorpromazine-equivalent doses***Description**

Given a data.frame containing doses of antipsychotics to_cpz() converts the doses into the equivalent chlorpromazine (CPZ) doses, using the conversion factors specified in the key.

Usage

```

to_cpz(
  input_data,
  ap_label,
  dose_label,
  route = "oral",
  key = chlorpromazineR::gardner2010,
  eq_label = "cpz_eq",
  factor_label = "cpz_conv_factor",
  route_label = NULL,
  q_label = NULL
)

```

Arguments

input_data	data.frame with antipsychotic name and dose data
ap_label	column in x that stores antipsychotic name
dose_label	column in x that stores dose
route	options include "oral", "sai", "lai" or "mixed"
key	source of the conversion factors—defaults to Gardner et al. 2010
eq_label	the name of the column to be created, to save the calculated CPZ-equivalent dose
factor_label	the name of the column to be created to store the conversion factors
route_label	if "mixed" route is specified, provide the column that stores the route information

q_label if long-acting injectable doses are included, provide the column that stores the injection frequency (days), or only if the doses have already been divided, set q_label = 1.

Details

The default key is gardner2010 which has data for both oral and long-acting antipsychotic medications. See `help(gardner2010)` for the source reference.

Value

data.frame with new variables storing conversion factor and CPZ-equivalent doses

See Also

Other conversion functions: `to_ap()`

Examples

```
participant_ID <- c("P01", "P02", "P03", "P04")
age <- c(42, 29, 30, 60)
antipsychotic <- c("olanzapine", "olanzapine", "quetiapine", "ziprasidone")
dose <- c(10, 12.5, 300, 60)
example_oral <- data.frame(participant_ID, age, antipsychotic, dose,
                           stringsAsFactors = FALSE)
to_cpz(example_oral, ap_label = "antipsychotic", dose_label = "dose",
        route = "oral")
```

trim_key

Modify the names in a conversion key to only include the first word

Description

For parenteral (sai) and long-acting/depot (lai) antipsychotics, the name consists of the usual generic name (such as haloperidol) and a second word describing the formulation (e.g. haloperidol decanoate). Since `to_cpz()` and `add_key()` require exact matches to work properly, removing the second word may be required, but should be done with care as it can add ambiguity (e.g. fluphenazine enanthate and decanoate).

Usage

```
trim_key(key)
```

Arguments

key the key to trim

Value

the key that was trimmed (a named list of 3 named lists)

See Also

Other key functions: [add_key\(\)](#), [check_key\(\)](#)

Examples

```
trim_key(gardner2010)
```

woods2003

Chlorpromazine equivalent key from Woods 2003 data

Description

A list of antipsychotics and their chlorpromazine equivalent doses, generated from the following file included with the package: `system.file("extdata", "woods2003.csv", package="chlorpromazineR")`.

Usage

```
woods2003
```

Format

A named list of 3 named lists (1 for each route) and each sub-list contains the conversion factors for each antipsychotic. The 3 top-level lists are named 'oral', 'sai', and 'lai' (route), and the lists they contain have names corresponding to the antipsychotic, e.g. 'olanzapine'.

Source

Scott Woods (2003). Chlorpromazine Equivalent Doses for the Newer Atypical Antipsychotics. *Journal of Clinical Psychiatry*. 64(6). 663-667. <<https://doi.org/10.4088/JCP.v64n0607>>

Index

- * **checking functions**

- check_ap, [3](#)

- * **conversion functions**

- to_ap, [7](#)

- to_cpz, [9](#)

- * **datasets**

- davis1974, [4](#)

- gardner2010, [5](#)

- gardner2010_withsai, [6](#)

- leucht2016, [6](#)

- leucht2020, [7](#)

- woods2003, [11](#)

- * **key functions**

- add_key, [2](#)

- check_key, [4](#)

- trim_key, [10](#)

add_key, [2](#), [4](#), [11](#)

check_ap, [3](#)

check_key, [2](#), [4](#), [11](#)

davis1974, [4](#)

gardner2010, [5](#)

gardner2010_withsai, [6](#)

leucht2016, [6](#)

leucht2020, [7](#)

to_ap, [7](#), [10](#)

to_cpz, [8](#), [9](#)

trim_key, [2](#), [4](#), [10](#)

woods2003, [11](#)