

Package: rnaturalearthdata (via r-universe)

July 31, 2026

Title World Vector Map Data from Natural Earth Used in 'rnaturalearth'

Version 1.0.0.9000

Description Vector map data from <<https://www.naturalearthdata.com/>>.
Access functions are provided in the accompanying package
'rnaturalearth'.

License CC0

LazyData true

LazyDataCompression xz

Encoding UTF-8

URL <https://docs.ropensci.org/rnaturalearthdata/>,
<https://github.com/ropensci/rnaturalearthdata>

BugReports <https://github.com/ropensci/rnaturalearthdata/issues>

Depends R (>= 3.1.1)

Suggests knitr (>= 1.12.3), testthat (>= 0.9.1)

RoxygenNote 7.3.1

Repository <https://ropensci.r-universe.dev>

Date/Publication 2025-02-28 21:22:25 UTC

RemoteUrl <https://github.com/ropensci/rnaturalearthdata>

RemoteRef main

RemoteSha ff4d891f74265473ae2c936dcfeb0c9afeac6631

Contents

coastlines	2
countries	2
map_units	3
sovereignty	4
states	4
tiny_countries	5

Index	6
--------------	----------

coastlines

world coastlines from Natural Earth

Description

coastline lines at scales 1:110m (small), 1:50m (medium). 1:10m (large) are in the package `rnaturalearthhires`.

Usage

```
coastline110
```

```
coastline50
```

Format

An object of class ‘sf’

An object of class sf (inherits from `data.frame`) with 134 rows and 4 columns.

An object of class sf (inherits from `data.frame`) with 1428 rows and 4 columns.

Source

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/110m/physical/ne_110m_coastline.zip

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/50m/physical/ne_50m_coastline.zip

countries

world country polygons from Natural Earth

Description

at scales 1:110m (small) and 1:50m (medium). 1:10m (large) are in the package `rnaturalearthhires`.

Usage

```
countries110
```

```
countries50
```

Format

An object of class ‘sf’

An object of class sf (inherits from `data.frame`) with 177 rows and 169 columns.

An object of class sf (inherits from `data.frame`) with 242 rows and 169 columns.

Slots

data A data frame with country attributes

Source

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/110m/cultural/ne_110m_admin_0_countries.zip

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/50m/cultural/ne_50m_admin_0_countries.zip

map_units	<i>world map_unit polygons from Natural Earth</i>
-----------	---

Description

map_unit polygons at scales 1:110m (small), 1:50m (medium). 1:10m (large) are in the package `rnaturalearthhires`. There are more map_units than countries e.g. United Kingdom is split into England, Scotland, Wales and Northern Ireland.

Usage

```
map_units110
```

```
map_units50
```

Format

An object of class 'sf'

An object of class sf (inherits from data.frame) with 183 rows and 169 columns.

An object of class sf (inherits from data.frame) with 265 rows and 169 columns.

Slots

data A data frame with attributes

Source

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/110m/cultural/ne_110m_admin_0_map_units.zip

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/50m/cultural/ne_50m_admin_0_map_units.zip

sovereignty	<i>world sovereignty polygons from Natural Earth</i>
-------------	--

Description

sovereignty polygons at scales 1:110m (small), 1:50m (medium). 1:10m (large) are in the package `rnaturalearth`. There are fewer sovereign states than countries e.g. the Falkland Islands are included with the United Kingdom.

Usage

```
sovereignty110
```

```
sovereignty50
```

Format

An object of class 'sf'

An object of class sf (inherits from data.frame) with 171 rows and 169 columns.

An object of class sf (inherits from data.frame) with 201 rows and 169 columns.

Slots

`data` A data frame with attributes

Source

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/110m/cultural/ne_110m_admin_0_sovereignty.zip

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/50m/cultural/ne_50m_admin_0_sovereignty.zip

states	<i>state (admin level 1) polygons from Natural Earth</i>
--------	--

Description

For Australia, Brazil, Canada and USA, at 1:50m (medium) resolution. The package `rnaturalearth` has all world countries at 1:10m (high) resolution.

Usage

```
states50
```

Format

An object of class 'sf'

An object of class sf (inherits from data.frame) with 294 rows and 122 columns.

Slots

data A data frame with attributes

Source

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/50m/cultural/ne_50m_admin_1_states_provinces.zip

tiny_countries	<i>tiny countries points from Natural Earth</i>
----------------	---

Description

small country points at scales 1:110m (small), 1:50m (medium).

Usage

```
tiny_countries110
```

```
tiny_countries50
```

Format

An object of class 'sf'

An object of class sf (inherits from data.frame) with 37 rows and 171 columns.

An object of class sf (inherits from data.frame) with 76 rows and 171 columns.

Source

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/110m/cultural/ne_110m_admin_0_tiny_countries.zip

https://www.naturalearthdata.com/http://www.naturalearthdata.com/download/50m/cultural/ne_50m_admin_0_tiny_countries.zip

Index

* datasets

- coastlines, [2](#)
- countries, [2](#)
- map_units, [3](#)
- sovereignty, [4](#)
- states, [4](#)
- tiny_countries, [5](#)

- coastline110 (coastlines), [2](#)
- coastline50 (coastlines), [2](#)
- coastlines, [2](#)
- coastlines110 (coastlines), [2](#)
- coastlines50 (coastlines), [2](#)
- countries, [2](#)
- countries110 (countries), [2](#)
- countries50 (countries), [2](#)

- map_units, [3](#)
- map_units110 (map_units), [3](#)
- map_units50 (map_units), [3](#)

- sovereignty, [4](#)
- sovereignty110 (sovereignty), [4](#)
- sovereignty50 (sovereignty), [4](#)
- states, [4](#)
- states50 (states), [4](#)

- tiny_countries, [5](#)
- tiny_countries110 (tiny_countries), [5](#)
- tiny_countries50 (tiny_countries), [5](#)