

Package: tradestatistics (via r-universe)

December 21, 2024

Type Package

Title Open Trade Statistics API Wrapper and Utility Program

Version 5.0.0

Description Access 'Open Trade Statistics' API from R to download international trade data.

License Apache License (>= 2)

URL <https://docs.ropensci.org/tradestatistics/>

BugReports <https://github.com/ropensci/tradestatistics/issues/>

Depends R (>= 2.10)

Imports crul, data.table, digest, jsonlite, memoise, utils

Suggests covr, knitr, rmarkdown, testthat (>= 2.1.0), tibble, vcr

VignetteBuilder knitr

Encoding UTF-8

LazyData TRUE

RoxygenNote 7.3.1

Config/pak/sysreqs libssl-dev

Repository <https://ropensci.r-universe.dev>

RemoteUrl <https://github.com/ropensci/tradestatistics>

RemoteRef master

RemoteSha 4c0b85989f0085f4eb4c16eafab6214b7854b6b

Contents

| | |
|-----------------------|---|
| ots_commodities | 2 |
| ots_commodities_short | 2 |
| ots_commodity_code | 3 |
| ots_countries | 4 |
| ots_countries_colors | 4 |
| ots_country_code | 5 |

| | |
|---------------------------------------|---|
| ots_create_tidy_data | 5 |
| ots_gdp_deflator | 7 |
| ots_gdp_deflator_adjustment | 7 |
| ots_sections | 8 |
| ots_sections_colors | 9 |
| ots_tables | 9 |

| | |
|--------------|-----------|
| Index | 10 |
|--------------|-----------|

| | |
|-----------------|------------------------|
| ots_commodities | <i>OTS Commodities</i> |
|-----------------|------------------------|

Description

Official commodity names from the Harmonized System rev 2012 (HS12, six digits detail).

Usage

ots_commodities

Format

A data frame with 5,302 observations on the following 4 variables

commodity_code HS six digits commodity code (e.g. 010110)

commodity_code_short HS four digits commodity code (e.g. 0101)

commodity_fullname_english HS six digits commodity name (e.g. 'Horses, asses, mules and hinnies; live, pure-bred breeding animals')

section_code HS section code (e.g. '01')

Source

Open Trade Statistics

| | |
|-----------------------|------------------------------|
| ots_commodities_short | <i>OTS Commodities Short</i> |
|-----------------------|------------------------------|

Description

Official commodity names from the Harmonized System rev 2012 (HS12, four digits detail).

Usage

ots_commodities_short

Format

A data frame with 1,225 observations on the following 2 variables

commodity_code HS four digits commodity code (e.g. 0101)

commodity_fullname_english HS four digits commodity names (e.g. 'Horses, asses, mules and hinnies; live')

Source

Open Trade Statistics

| | |
|--------------------|--|
| ots_commodity_code | <i>String matching of official commodity/section names and Harmonized System (HS) codes according to the United Nations nomenclature</i> |
|--------------------|--|

Description

Takes a text string and searches within the package data for all matching commodity codes in the context of valid API commodity codes.

Usage

```
ots_commodity_code(commodity = NULL, section = NULL)
```

Arguments

commodity A text string such as "Animals", "COPPER" or "fruits".

section A text string such as "meat", "FISH" or "Dairy".

Value

A tibble with all possible matches (no uppercase distinction) showing the commodity name and commodity code

Examples

```
ots_commodity_code(commodity = "ANIMALS ")
ots_commodity_code(section = " fish")
ots_commodity_code(commodity = "Milk", section = "Dairy")
```

ots_countries *OTS Countries*

Description

Official country names, ISO-3 codes, continent and EU membership.

Usage

ots_countries

Format

A data frame with 275 observations on the following 5 variables

country_iso ISO-3 code of the country (e.g. "deu" means Germany)

country_name_english Country name (e.g. Germany)

country_fullname_english Country name with indications (e.g. Germany as "Germany (former Federal Republic of Germany until 1990)")

continent_name_english Continent where the country belongs to (e.g., Europe)

continent_id Numeric id of the continent where the country belongs to (e.g., 5)

Source

Open Trade Statistics

ots_countries_colors *OTS Countries Colors*

Description

Unofficial colors to ease visualization for countries.

Usage

ots_countries_colors

Format

A data frame with 275 rows and 3 variables

country_iso ISO code of the country (e.g. "chl" means Chile)

continent_id Numeric id of the continent

country_color Country hex color (e.g. '#D05555')

Source

Open Trade Statistics

| | |
|------------------|---|
| ots_country_code | <i>String matching of official country names and ISO-3 codes according to the United Nations nomenclature</i> |
|------------------|---|

Description

Takes a text string and searches within the package data for a country code in the context of valid API country codes.

Usage

```
ots_country_code(countryname = NULL)
```

Arguments

countryname A text string such as "Chile", "CHILE" or "CHL".

Value

A single character if there is a exact match (e.g. `ots_country_code("Chile")`) or a tibble in case of multiple matches (e.g. `ots_country_code("Germany")`)

Examples

```
ots_country_code("Chile ")
ots_country_code("america")
ots_country_code("UNITED STATES")
ots_country_code(" united_")
```

| | |
|----------------------|--|
| ots_create_tidy_data | <i>Downloads and processes the data from the API to return a human-readable tibble</i> |
|----------------------|--|

Description

Accesses `api.tradestatistics.io` and performs different API calls to transform and return tidy data.

Usage

```
ots_create_tidy_data(
  years = 2020,
  reporters = "all",
  partners = "all",
  commodities = "all",
  sections = "all",
```

```

  table = "yr",
  max_attempts = 5,
  use_cache = FALSE,
  file = NULL
)

```

Arguments

| | |
|--------------|--|
| years | Year contained within the years specified in <code>api.tradestatistics.io/year_range</code> (e.g. <code>c(2002,2004)</code> , <code>c(2002:2004)</code> or <code>2002</code>). Default set to 2019. |
| reporters | ISO code for reporter country (e.g. <code>"chl"</code> , <code>"Chile"</code> or <code>c("chl", "Peru")</code>). Default set to <code>"all"</code> . |
| partners | ISO code for partner country (e.g. <code>"chl"</code> , <code>"Chile"</code> or <code>c("chl", "Peru")</code>). Default set to <code>"all"</code> . |
| commodities | HS commodity codes (e.g. <code>"0101"</code> , <code>"01"</code> or search matches for <code>"apple"</code>) to filter commodities. Default set to <code>"all"</code> . |
| sections | HS section codes (e.g. <code>"01"</code>). Default set to <code>"all"</code> . |
| table | Character string to select the table to obtain the data. Default set to <code>yr</code> (Year - Reporter). Run <code>ots_tables</code> in case of doubt. |
| max_attempts | How many times to try to download data in case the API or the internet connection fails when obtaining data. Default set to 5. |
| use_cache | Logical to save and load from cache. If TRUE, the results will be cached in memory if <code>file</code> is NULL or on disk if <code>'file'</code> is not NULL. Default set to FALSE. |
| file | Optional character with the full file path to save the data. Default set to NULL. |

Value

A tibble that describes bilateral trade metrics (imports, exports, trade balance and relevant metrics such as exports growth w/r to last year) between a reporter and partner country.

Examples

```

## Not run:
# The next examples can take more than 5 seconds to compute,
# so these are just shown without evaluation according to CRAN rules

# Run `ots_countries` to display the full table of countries
# Run `ots_commodities` to display the full table of commodities

# What does Chile export to China? (2002)
ots_create_tidy_data(years = 2002, reporters = "chl", partners = "chn")

# What can we say about Horses export in Chile and the World? (2002)
ots_create_tidy_data(years = 2002, commodities = "010110", table = "yc")
ots_create_tidy_data(years = 2002, reporters = "chl", commodities = "010110", table = "yrc")

# What can we say about the different types of apples exported by Chile? (2002)
ots_create_tidy_data(years = 2002, reporters = "chl", commodities = "apple", table = "yrc")

```

```
## End(Not run)
```

```
ots_gdp_deflator      GDP Deflator
```

Description

Year to year GDP deflator some of the countries in the OTS database. For countries not available in the World Bank database, rows labelled as "wld" are provided, which were computed as the weighted median for each year using the GDP of listed countries for each year expressed as constant dollars of the year 2010.

Usage

```
ots_gdp_deflator
```

Format

A data frame with 8,010 observations on the following 4 variables

year_from Integer values in the range 1980-2020

year_to Integer values in the range 1981-2021

country_iso ISO code of the country (e.g. "chl" means Chile)

gdp_deflator Numeric value expressed as one plus 1-year deflator

Source

Open Trade Statistics

```
ots_gdp_deflator_adjustment
      Expresses tidy data from the API in dollars of a reference year
```

Description

Uses GDP deflator records from The World Bank to convert trade records and express them in dollars of the same year. The records are internally subsetting to World's values, because country specific levels would largely re-scale observations for reporters that reflect unstable macroeconomic policies.

Usage

```
ots_gdp_deflator_adjustment(trade_data = NULL, reference_year = NULL)
```

Arguments

`trade_data` A tibble obtained by using `ots_create_tidy_data`. Default set to NULL.

`reference_year` Year contained within the years specified in `api.tradestatistics.io/year_range` (e.g. 2010). Default set to NULL.

Examples

```
## Not run:
# The next example can take more than 5 seconds to compute,
# so this is shown without evaluation according to CRAN rules

# Convert dollars of 2010 to dollars of 2000
d <- ots_create_tidy_data(years = 2010, reporters = "chl", partners = "chn")
ots_gdp_deflator_adjustment(trade_data = d, reference_year = 2000)

## End(Not run)
```

ots_sections

OTS Sections

Description

Official section names from the Harmonized System rev 2012 (HS12).

Usage

```
ots_sections
```

Format

A data frame with 22 rows and 2 variables

`section_code` HS section code (e.g. '01')

`section_fullname_english` HS section name (e.g. 'Live animals and animal products')

Source

Adapted from UN COMTRADE

| | |
|---------------------|----------------------------|
| ots_sections_colors | <i>OTS Sections Colors</i> |
|---------------------|----------------------------|

Description

Unofficial colors to ease visualization for the sections in the Harmonized System rev 2012 (HS12).

Usage

ots_sections_colors

Format

A data frame with 22 rows and 2 variables

section_code HS section code (e.g. '01')

section_color HS section color (e.g. '#74c0e2')

Source

Open Trade Statistics

| | |
|------------|-------------------|
| ots_tables | <i>OTS Tables</i> |
|------------|-------------------|

Description

Existing API tables with both description and source.

Usage

ots_tables

Format

A data frame with 12 rows and 3 variables

table Table name

description Description of table contents

source Source for the data (OTS tables are processed after UN Comtrade raw data)

Source

Open Trade Statistics

Index

* datasets

- ots_commodities, 2
- ots_commodities_short, 2
- ots_countries, 4
- ots_countries_colors, 4
- ots_gdp_deflator, 7
- ots_sections, 8
- ots_sections_colors, 9
- ots_tables, 9

* functions

- ots_commodity_code, 3
- ots_country_code, 5
- ots_create_tidy_data, 5
- ots_gdp_deflator_adjustment, 7

- ots_commodities, 2
- ots_commodities_short, 2
- ots_commodity_code, 3
- ots_countries, 4
- ots_countries_colors, 4
- ots_country_code, 5
- ots_create_tidy_data, 5
- ots_gdp_deflator, 7
- ots_gdp_deflator_adjustment, 7
- ots_sections, 8
- ots_sections_colors, 9
- ots_tables, 9