

Package: universe (via r-universe)

October 22, 2024

Type Package

Title Tools for Working with R-universe <<https://r-universe.dev>>

Version 1.0.0

Description Utilities to interact with the R-universe platform.
Includes functions to manage local package repositories, as well as API wrappers for retrieving data and metadata about packages in r-universe.

License Apache License (>= 2)

URL <https://docs.ropensci.org/universe/>,
<https://github.com/ropensci/universe>

BugReports <https://github.com/ropensci/universe/issues>

Depends R (>= 4.1.0)

Imports cli, curl, httr2, rlang, withr

Suggests fs, httptest2, knitr, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/Needs/build moodymudskipper/devtag

Config/testthat/edition 3

Encoding UTF-8

Roxygen list(markdown = TRUE, roclets = c("`collate", "`rd",
`namespace", `devtag::dev_roclet`))

RoxygenNote 7.3.2

Repository <https://ropensci.r-universe.dev>

RemoteUrl <https://github.com/ropensci/universe>

RemoteRef main

RemoteSha 3f0b640ef933674c249504f399fc64a93560031c

Contents

add	2
everyone	3
global_search	3
repo_snapshot	4
universe_all_packages	5
universe_ls	5
universe_one_package	6
universe_search	7
Index	8

add	<i>Enable a package repository from r-universe</i>
-----	--

Description

Adds r-universe package repositories to your options("repos") such that they are used by default in `install.packages()`. If the universe was already enabled, it will not be added again, hence it is harmless to call this function multiple times.

Usage

```
add(universe = "ropensci")

remove(universe)
```

Arguments

universe vector with name(s) of the universe(s), i.e. the subdomain part of `https://ropensci.r-universe.dev`.

Details

Note that changes to your options are not permanent. To automatically enable a repository for every R session, you can call this function in your `~/.Rprofile` script.

Value

the updated list of repositories

Examples

```
add("ropensci")
```

everyone	<i>All universes</i>
----------	----------------------

Description

All universes

Usage

```
everyone(type = c("all", "universes", "maintainers"))
```

Arguments

type	Type of universe to query: "all", only organizations ("universe"), personal accounts ("maintainer").
------	--

Value

A character vector of all universes.

Examples

```
head(everyone())
```

global_search	<i>Search among all universes</i>
---------------	-----------------------------------

Description

Search among all universes

Usage

```
global_search(query, limit = 100L)
```

Arguments

query	Query string. See R-universe docs .
limit	Number of results to return (integer of length 1)

Value

A list with query results. The `total` field indicates the total number of results and can be used as `limit` value in a second call.

Examples

```
global_search(query = '"weather data"', limit = 1)
global_search(query = 'needs:httr2', limit = 1)
```

repo_snapshot	<i>Download snapshot</i>
---------------	--------------------------

Description

Downloads a full copy (snapshot) of an R package repository.

Usage

```
repo_snapshot(repo, destdir = "snapshot", bin_versions = r_version())

r_version()
```

Arguments

repo	url of the cran-like repository to snapshot
destdir	where to save the snapshots (path).
bin_versions	vector with versions of R to download the win/mac binary packages. The default is to download binaries only for your local version. Set to NULL to not download any binaries.

Value

None, used for its side-effects.

Examples

```
repo_snapshot(
  "https://jeroen.r-universe.dev",
  bin_versions = c("4.1", "4.2", "4.3")
)
```

universe_all_packages *Info on all packages in an universe*

Description

Info on all packages in an universe

Usage

```
universe_all_packages(universe, limit = 100L)
```

Arguments

universe	Name of the universe (character of length 1)
limit	Number of results to return (integer of length 1)

Value

A list with information on all packages in the universe.

See Also

Other universe: [universe_ls\(\)](#), [universe_one_package\(\)](#), [universe_search\(\)](#)

Examples

```
universe_all_packages("jeroen")
universe_all_packages("ropensci")
```

universe_ls *All packages in an universe*

Description

All packages in an universe

Usage

```
universe_ls(universe)
```

Arguments

universe	Name of the universe (character of length 1)
----------	--

Value

A character vector of all packages in the universe.

See Also

Other universe: [universe_all_packages\(\)](#), [universe_one_package\(\)](#), [universe_search\(\)](#)

Examples

```
universe_ls("jeroen")
universe_ls("ropensci")
```

universe_one_package *Info on a single packages in an universe*

Description

Info on a single packages in an universe

Usage

```
universe_one_package(universe, package)
```

Arguments

universe	Name of the universe (character of length 1)
package	Name of the package (character of length 1)

Value

A list with information on the package.

See Also

Other universe: [universe_all_packages\(\)](#), [universe_ls\(\)](#), [universe_search\(\)](#)

Examples

```
universe_one_package("jeroen", package = "curl")
```

universe_search	<i>Search within a single universe</i>
-----------------	--

Description

Search within a single universe

Usage

```
universe_search(universe, query, limit = 100L)
```

Arguments

universe	Name of the universe (character of length 1)
query	Query string. See R-universe docs .
limit	Number of results to return (integer of length 1)

Value

A list with query results. The `total` field indicates the total number of results and can be used as `limit` value in a second call.

See Also

Other universe: [universe_all_packages\(\)](#), [universe_ls\(\)](#), [universe_one_package\(\)](#)

Examples

```
universe_search("ropensci", query = '"weather data"')
universe_search("ropensci", query = 'needs:httr2')
```

Index

* universe

- universe_all_packages, 5
- universe_ls, 5
- universe_one_package, 6
- universe_search, 7

~/ .Rprofile, 2

add, 2

everyone, 3

global_search, 3

r_version (repo_snapshot), 4

remove (add), 2

repo_snapshot, 4

universe_all_packages, 5, 6, 7

universe_ls, 5, 5, 6, 7

universe_one_package, 5, 6, 6, 7

universe_search, 5, 6, 7