

Package: workloopR (via r-universe)

October 15, 2024

Type Package

Title Analysis of Work Loops and Other Data from Muscle Physiology Experiments

Version 1.1.4

Description Functions for the import, transformation, and analysis of data from muscle physiology experiments. The work loop technique is used to evaluate the mechanical work and power output of muscle. Josephson (1985) <[doi:10.1242/jeb.114.1.493](https://doi.org/10.1242/jeb.114.1.493)> modernized the technique for application in comparative biomechanics. Although our initial motivation was to provide functions to analyze work loop experiment data, as we developed the package we incorporated the ability to analyze data from experiments that are often complementary to work loops. There are currently three supported experiment types: work loops, simple twitches, and tetanus trials. Data can be imported directly from .ddf files or via an object constructor function. Through either method, data can then be cleaned or transformed via methods typically used in studies of muscle physiology. Data can then be analyzed to determine the timing and magnitude of force development and relaxation (for isometric trials) or the magnitude of work, net power, and instantaneous power among other things (for work loops). Although we do not provide plotting functions, all resultant objects are designed to be friendly to visualization via either base-R plotting or 'tidyverse' functions. This package has been peer-reviewed by rOpenSci (v. 1.1.0).

URL <https://docs.ropensci.org/workloopR/>,
<https://github.com/ropensci/workloopR/>

BugReports <https://github.com/ropensci/workloopR/issues/>

Imports pracma (>= 2.0.7), signal (>= 0.7-6)

Suggests testthat (>= 2.1.1), knitr, rmarkdown, dplyr, ggplot2, magrittr, purrr, tidyr

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.1.1.9000

VignetteBuilder knitr

Repository https://ropensci.r-universe.dev

RemoteUrl https://github.com/ropensci/workloopR

RemoteRef master

RemoteSha 2ed0f7f1081e4decdd108218a2f9c5f566965353

Contents

analyze_workloop	2
as_muscle_stim	5
fix_GR	7
get_wl_metadata	9
invert_position	10
isometric_timing	11
read_analyze_wl	13
read_analyze_wl_dir	15
read_ddf	17
read_ddf_dir	19
select_cycles	21
summarize_wl_trials	23
time_correct	24
trapezoidal_integration	26

Index	28
--------------	-----------

analyze_workloop	<i>Analyze work loop object to compute work and power output</i>
------------------	------------------------------------------------------------------

Description

Compute work and power output from a work loop experiment on a per-cycle basis.

Usage

```
analyze_workloop(x, simplify = FALSE, GR = 1, M = -1, vel_bf = 0.05, ...)
```

Arguments

x	A workloop object of class <code>muscle_stim</code> that has been passed through <code>select_cycles</code> . See Details.
simplify	Logical. If <code>FALSE</code> , the full analyzed workloop object is returned. If <code>TRUE</code> a simpler table of net work and power (by cycle) is returned.
GR	Gear ratio, set to 1 by default

M	Velocity multiplier, set adjust the sign of velocity. This parameter should generally be either -1 (the default) or 1.
vel_bf	Critical frequency (scalar) for low-pass filtering of velocity via <code>signal::butter()</code>
...	Additional arguments potentially passed down from <code>read_analyze_wl()</code> or <code>read_analyze_wl_dir()</code>

Details

Please note that `select_cycles()` must be run on data prior to using this function. This function relies on the input `muscle_stim` object being organized by cycle number.

The `muscle_stim` object (x) must be a workloop, preferably read in by one of our data import functions. Please see documentation for `as_muscle_stim()` if you need to manually construct a `muscle_stim` object from a non .ddf source.

The gear ratio (GR) and velocity multiplier (M) parameters can help correct for issues related to the magnitude and sign of data collection. By default, they are set to apply no gear ratio adjustment and to positivize velocity. Instantaneous velocity is often noisy and the `vel_bf` parameter allows for low-pass filtering of velocity data. See `signal::butter()` and `signal::filtfilt()` for details of how filtering is achieved.

Please also be careful with units! See Warning section below.

Value

The function returns a list of class `analyzed_workloop` that provides instantaneous velocity, a smoothed velocity, and computes work, instantaneous power, and net power from a work loop experiment. All data are organized by the cycle number and important metadata are stored as Attributes.

Within the list, each entry is labeled by cycle and includes:

Time	Time, in sec
Position	Length change of the muscle, corrected for gear ratio, in mm
Force	Force, corrected for gear ratio, in mN
Stim	When stimulation occurs, on a binary scale
Cycle	Cycle ID, as a letter
Inst_velocity	Instantaneous velocity, computed from Position change, reported in meters/sec
Filt_velocity	Instantaneous velocity, after low-pass filtering, again in meter/sec
Inst_Power	Instantaneous power, a product of Force and Filt_velocity, reported in J
Percent_of_Cycle	The percent of that particular cycle which has elapsed

In addition, the following information is stored in the `analyzed_workloop` object's attributes:

stimulus_frequency	Frequency at which stimulus pulses occurred
cycle_frequency	Frequency of oscillations (assuming sine wave trajectory)

total_cycles	Total number of oscillatory cycles (assuming sine wave trajectory) that the muscle experienced.
cycle_def	Specifies what part of the cycle is understood as the beginning and end. There are currently three options: 'lo' for L0-to-L0; 'p2p' for peak-to-peak; and 't2t' for trough-to-trough
amplitude	Amplitude of length change (assuming sine wave trajectory)
phase	Phase of the oscillatory cycle (in percent) at which stimulation occurred. Somewhat experimental, please use with caution
position_inverted	Logical; whether position inversion has been applied)
units	The units of measurement for each column in the object after running this function. See Warning
sample_frequency	Frequency at which samples were collected
header	Additional information from the header
units_table	Units from each Channel of the original ddf file
protocol_table	Protocol in tabular format; taken from the original ddf file
stim_table	Specific info on stimulus protocol; taken from the original ddf file
stimulus_pulses	Number of sequential pulses within a stimulation train
stimulus_offset	Timing offset at which stimulus began
gear_ratio	Gear ratio applied by this function
file_id	File name
mtime	Time at which file was last modified
retained_cycles	Which cycles were retained, as numerics
summary	Simple table showing work (in J) and net power (in W) for each cycle

Warning

Most systems we have encountered record Position data in millimeters and Force in millinewtons, and therefore this function assumes data are recorded in those units. Through a series of internal conversions, this function computes velocity in meters/sec, work in Joules, and power in Watts. If your raw data do not originate in millimeters and millinewtons, please transform your data accordingly and ignore what you see in the attribute units.

Author(s)

Vikram B. Baliga and Shreeram Senthivasan

References

Josephson RK. 1985. Mechanical Power output from Striated Muscle during Cyclic Contraction. Journal of Experimental Biology 114: 493-512.

See Also

[read_ddf](#), [read_analyze_wl](#), [select_cycles](#)

Other data analyses: [isometric_timing\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#)

Other workloop functions: [fix_GR\(\)](#), [get_wl_metadata\(\)](#), [invert_position\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [select_cycles\(\)](#), [summarize_wl_trials\(\)](#), [time_correct\(\)](#)

Examples

```
library(workloopR)

# import the workloop.ddf file included in workloopR
wl_dat <- read_ddf(system.file("extdata", "workloop.ddf",
                             package = 'workloopR'),
                  phase_from_peak = TRUE)

# select cycles 3 through 5 via the peak-to-peak definition
wl_selected <- select_cycles(wl_dat, cycle_def = "p2p", keep_cycles = 3:5)

# run the analysis function and get the full object
wl_analyzed <- analyze_workloop(wl_selected, GR = 2)

# print methods give a short summary
print(wl_analyzed)

# summary provides a bit more detail
summary(wl_analyzed)

# run the analysis but get the simplified version
wl_analyzed_simple <- analyze_workloop(wl_selected, simplify = TRUE, GR = 2)
```

as_muscle_stim

Create your own muscle_stim object

Description

For use when data are not stored in .ddf format and you would like to create a muscle_stim object that can be used by other workloopR functions.

Usage

```
as_muscle_stim(x, type, sample_frequency, ...)
```

Arguments

x	A data.frame. See Details for how it should be organized.
type	Experiment type; must be one of: "workloop", "tetanus", or "twitch."

sample_frequency Numeric value of the frequency at which samples were recorded; must be in Hz. Please format as numeric, e.g. 10000 works but 10000 Hz does not

... Additional arguments that can be passed in as attributes. See Details.

Details

muscle_stim objects, which are required by (nearly) all workloopR functions, are automatically created via read_ddf(). Should you have data that are stored in a format other than .ddf, use this function to create your own object of class muscle_stim.

The input `x` must be a `data.frame` that contains time series of numeric data collected from an experiment. Each row must correspond to a sample, and these columns (exact title matches) must be included:

"Time" - time, recorded in seconds

"Position" - instantaneous position of the muscle, preferably in millimeters

"Force" - force, preferably in millinewtons

"Stim" - whether stimulation has occurred. All entries must be either 0 (no stimulus) or 1 (stimulus occurrence).

Additional arguments can be provided via `...`. For all experiment types, the following attributes are appropriate:

"units", "header", "units_table", "protocol_table", "stim_table", "stimulus_pulses", "stimulus_offset", "stimulus_width", "gear_ratio", "file_id", or "mtime".

Please ensure that further attributes are appropriate to your experiment type.

For workloops, these include: "stimulus_frequency", "cycle_frequency", "total_cycles", "cycle_def", "amplitude", "phase", and "position_inverted"

For twitches or tetanic trials: "stimulus_frequency", and "stimulus_length"

Value

An object of class `workloop`, `twitch`, or `tetanus`, all of which inherit class `muscle_stim`. These objects behave like `data.frames` in most situations but also store metadata from the `ddf` as attributes.

The `muscle_stim` object's columns contain:

Time	Time
Position	Length change of the muscle, uncorrected for gear ratio
Force	Force, uncorrected for gear ratio
Stim	When stimulation occurs, on a binary scale

In addition, the following information is stored in the `data.frame`'s attributes:

sample_frequency	Frequency at which samples were collected
pulses	Number of sequential pulses within a stimulation train
total_cycles_lo	Total number of oscillatory cycles (assuming sine wave trajectory) that the muscle experienced. Cycles are defined with respect to initial muscle length (L0-to-L0 as opposed to peak-to-peak).

amplitude amplitude of length change (again, assuming sine wave trajectory)
cycle_frequency Frequency of oscillations (again, assuming sine wave trajectory)
units The units of measurement for each column in the data.frame. This might be the most important attribute so please check that it makes sense!

Author(s)

Shreeram Senthivasan

See Also

[read_ddf](#)

Other data import functions: [get_wl_metadata\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [read_ddf_dir\(\)](#), [read_ddf\(\)](#)

Examples

```
library(workloopR)

# import the workloop.ddf file included in workloopR
wl_dat <- read_ddf(system.file("extdata", "workloop.ddf",
                             package = 'workloopR'))
```

fix_GR *Adjust for the gear ratio of a motor arm*

Description

Fix a discrepancy between the gear ratio of the motor arm used and the gear ratio recorded by software.

Usage

```
fix_GR(x, GR = 1)
```

Arguments

x A muscle_stim object
GR Gear ratio, set to 1 by default

Details

The `muscle_stim` object can be of any type, including `workloop`, `twitch`, or `tetanus`.

If you have manually constructed the object via `as_muscle_stim()`, the `muscle_stim` object should have columns as follows:

Position: length change of the muscle;

Force: force

Value

An object of the same class(es) as the input (`x`). The function will multiply Position by $(1/GR)$ and multiply Force by GR , returning an object with new values in `$Position` and `$Force`. Other columns and attributes are welcome and will simply be passed on unchanged into the resulting object.

Author(s)

Vikram B. Baliga

See Also

[analyze_workloop](#), [read_analyze_wl](#), [read_analyze_wl_dir](#)

Other data transformations: [invert_position\(\)](#), [select_cycles\(\)](#)

Other workloop functions: [analyze_workloop\(\)](#), [get_wl_metadata\(\)](#), [invert_position\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [select_cycles\(\)](#), [summarize_wl_trials\(\)](#), [time_correct\(\)](#)

Other twitch functions: [invert_position\(\)](#), [isometric_timing\(\)](#)

Other tetanus functions: [invert_position\(\)](#)

Examples

```
library(workloopR)

# import the workloop.ddf file included in workloopR
wl_dat <- read_ddf(system.file("extdata", "workloop.ddf",
                             package = 'workloopR'),
                  phase_from_peak = TRUE)

# apply a gear ratio correction of 2
# this will multiply Force by 2 and divide Position by 2
wl_fixed <- fix_GR(wl_dat, GR = 2)

# quick check:
max(wl_fixed$Force) / max(wl_dat$Force) # 5592.578 / 2796.289 = 2
max(wl_fixed$Position) / max(wl_dat$Position) # 1.832262 / 3.664524 = 0.5
```

get_wl_metadata	<i>Get file info for a sequence of experiment files</i>
-----------------	---------------------------------------------------------

Description

Grab metadata from files stored in the same folder (e.g. a sequence of trials in an experiment).

Usage

```
get_wl_metadata(file_path, pattern = "*.ddf")
```

Arguments

file_path	Path where files are stored. Should be in the same folder.
pattern	Regex pattern for identifying relevant files in the file_path.

Details

If several files (e.g. successive trials from one experiment) are stored in one folder, use this function to obtain metadata in a list format. Runs `file.info()` from base R to extract info from files.

This function is not truly considered to be part of the batch analysis pipeline; see `read_analyze_wl_dir()` for a similar function that not only grabs metadata but also imports & analyzes files. Instead, `get_wl_metadata()` is meant to be a handy function to investigate metadata issues that arise if running `read_analyze_wl_dir()` goes awry.

Unlike `read_analyze_wl_dir()`, this function does not necessarily need files to all be work loops. Any file type is welcome (as long as the Regex pattern argument makes sense).

Value

Either a `data.frame` (if a single file is supplied) or a list of `data.frames` (if a list of files is supplied), with information as supplied from `file.info()`.

Author(s)

Vikram B. Baliga

See Also

[summarize_wl_trials](#)

Other data import functions: [as_muscle_stim\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [read_ddf_dir\(\)](#), [read_ddf\(\)](#)

Other workloop functions: [analyze_workloop\(\)](#), [fix_GR\(\)](#), [invert_position\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [select_cycles\(\)](#), [summarize_wl_trials\(\)](#), [time_correct\(\)](#)

Other batch analyses: [read_analyze_wl_dir\(\)](#), [summarize_wl_trials\(\)](#), [time_correct\(\)](#)

Examples

```
library(workloopR)

# get file info for files included with workloopR
wl_meta <- get_wl_metadata(system.file("extdata/wl_duration_trials",
                                       package = 'workloopR'))
```

invert_position	<i>Invert the position data</i>
-----------------	---------------------------------

Description

Multiply instantaneous position by -1.

Usage

```
invert_position(x)
```

Arguments

x A muscle_stim object

Details

The muscle_stim object can be of any type, including workloop, twitch, or tetanus.

If you have manually constructed the object via `as_muscle_stim()`, the muscle_stim object should have a column entitled `Position`. Other columns and attributes are welcome and will be passed along unchanged.

Value

A workloop object with inverted position. The `position_inverted` attribute is set to `TRUE` and all others are retained.

Author(s)

Vikram B. Baliga

See Also

Other data transformations: [fix_GR\(\)](#), [select_cycles\(\)](#)

Other workloop functions: [analyze_workloop\(\)](#), [fix_GR\(\)](#), [get_wl_metadata\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [select_cycles\(\)](#), [summarize_wl_trials\(\)](#), [time_correct\(\)](#)

Other twitch functions: [fix_GR\(\)](#), [isometric_timing\(\)](#)

Other tetanus functions: [fix_GR\(\)](#)

Examples

```

library(workloopR)

# import the workloop.ddf file included in workloopR
wl_dat <- read_ddf(system.file("extdata", "workloop.ddf",
                             package = 'workloopR'),
                 phase_from_peak = TRUE)

# invert the sign of Position
wl_fixed <- invert_position(wl_dat)

# quick check:
max(wl_fixed$Position) / min(wl_dat$Position) # -1

```

isometric_timing

Compute timing and magnitude of force in isometric trials

Description

Calculate timing and magnitude of force at stimulation, peak force, and various parts of the rising (force development) and relaxation (falling) phases of the twitch.

Usage

```
isometric_timing(x, rising = c(10, 90), relaxing = c(90, 50))
```

Arguments

<code>x</code>	A <code>muscle_stim</code> object that contains data from an isometric twitch trial, ideally created via <code>read_ddf</code> .
<code>rising</code>	Set points of the rising phase to be described. By default: 10% and 90%.
<code>relaxing</code>	Set points of the relaxation phase to be described. By default: 90% and 50%.

Details

The `data.frame` (`x`) must have time series data organized in columns. Generally, it is preferred that you use a `muscle_stim` object imported by `read_ddf()`.

The `rising` and `relaxing` arguments allow for the user to supply numeric vectors of any length. By default, these arguments are `rising = c(10, 90)` and `relaxing = c(90, 50)`. Numbers in each of these correspond to percent values and capture time and force at that percent of the corresponding curve. These values can be replaced by those that the user specifies and do not necessarily need to have length = 2. But please note that 0 and 100 should not be used, e.g. `rising = seq(10, 90, 5)` works, but `rising = seq(0, 100, 5)` does not.

Value

A data.frame with the following metrics as columns:

file_ID	File ID
time_stim	Time between beginning of data collection and when stimulation occurs
force_stim	Magnitude of force at the onset of stimulation
time_peak	Absolute time of peak force, i.e. time between beginning of data collection and when peak force occurs
force_peak	Magnitude of peak force
time_rising_X	Time between beginning of data collection and X% of force development
force_rising_X	Magnitude of force at X% of force development
time_relaxing_X	Time between beginning of data collection and X% of force relaxation
force_relaxing_X	Magnitude of force at X% of relaxation

Author(s)

Vikram B. Baliga

References

Ahn AN, and Full RJ. 2002. A motor and a brake: two leg extensor muscles acting at the same joint manage energy differently in a running insect. *Journal of Experimental Biology* 205, 379-389.

See Also

Other data analyses: [analyze_workloop\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#)

Other twitch functions: [fix_GR\(\)](#), [invert_position\(\)](#)

Examples

```
library(workloopR)

# import the twitch.ddf file included in workloopR
twitch_dat <- read_ddf(system.file("extdata", "twitch.ddf",
                                package = 'workloopR'))

# run isometric_timing() to get info on twitch kinetics
# we'll use different set points than the defaults
analyze_twitch <- isometric_timing(twitch_dat,
  rising = c(25, 50, 75),
  relaxing = c(75, 50, 25)
)

# see the results
analyze_twitch
```

read_analyze_wl	<i>All-in-one import function for work loop files</i>
-----------------	-------------------------------------------------------

Description

read_analyze_wl() is an all-in-one function to read in a work loop file, select cycles, and compute work and power output.

Usage

```
read_analyze_wl(file_name, ...)
```

Arguments

file_name	A .ddf file that contains data from a single workloop experiment
...	Additional arguments to be passed to read_ddf(), select_cycles(), or analyze_workloop().

Details

Please be careful with units! See Warnings below. This function combines read_ddf() with select_cycles() and then ultimately analyze_workloop() into one handy function.

As detailed in these three functions, possible arguments include:

cycle_def - used to specify which part of the cycle is understood as the beginning and end. There are currently three options: 'lo' for L0-to-L0; 'p2p' for peak-to-peak; and 't2t' for trough-to-trough
 bworth_order - Filter order for low-pass filtering of Position via signal::butter prior to finding peak lengths. Default: 2.

bworth_freq - Critical frequency (scalar) for low-pass filtering of Position via signal::butter prior to finding peak lengths. Default: 0.05.

keep_cycles - Which cycles should be retained. Default: 4:6.

GR - Gear ratio. Default: 1.

M - Velocity multiplier used to positivize velocity; should be either -1 or 1. Default: -1.

vel_bf - Critical frequency (scalar) for low-pass filtering of velocity via signal::butter. Default: 0.05.

The gear ratio (GR) and velocity multiplier (M) parameters can help correct for issues related to the magnitude and sign of data collection. By default, they are set to apply no gear ratio adjustment and to positivize velocity. Instantaneous velocity is often noisy and the vel_bf parameter allows for low-pass filtering of velocity data. See signal::butter() and signal::filtfilt() for details of how filtering is achieved.

Value

The function returns a list of class analyzed_workloop that provides instantaneous velocity, a smoothed velocity, and computes work, instantaneous power, and net power from a work loop experiment. All data are organized by the cycle number and important metadata are stored as Attributes.

Within the list, each entry is labeled by cycle and includes:

Time	Time, in sec
Position	Length change of the muscle, corrected for gear ratio, in mm
Force	Force, corrected for gear ratio, in mN
Stim	When stimulation occurs, on a binary scale
Cycle	Cycle ID, as a letter
Inst_velocity	Instantaneous velocity, computed from Position change, reported in meters/sec
Filt_velocity	Instantaneous velocity, after low-pass filtering, again in meter/sec
Inst_Power	Instantaneous power, a product of Force and Filt_velocity, reported in J
Percent_of_Cycle	The percent of that particular cycle which has elapsed

In addition, the following information is stored in the analyzed_workloop object's attributes:

stimulus_frequency	Frequency at which stimulus pulses occurred
cycle_frequency	Frequency of oscillations (assuming sine wave trajectory)
total_cycles	Total number of oscillatory cycles (assuming sine wave trajectory) that the muscle experienced.
cycle_def	Specifies what part of the cycle is understood as the beginning and end. There are currently three options: 'lo' for L0-to-L0; 'p2p' for peak-to-peak; and 't2t' for trough-to-trough
amplitude	Amplitude of length change (assuming sine wave trajectory)
phase	Phase of the oscillatory cycle (in percent) at which stimulation occurred. Somewhat experimental, please use with caution
position_inverted	Logical; whether position inversion has been applied)
units	The units of measurement for each column in the object after running this function. See Warning
sample_frequency	Frequency at which samples were collected
header	Additional information from the header
units_table	Units from each Channel of the original ddf file
protocol_table	Protocol in tabular format; taken from the original ddf file
stim_table	Specific info on stimulus protocol; taken from the original ddf file
stimulus_pulses	Number of sequential pulses within a stimulation train
stimulus_offset	Timing offset at which stimulus began
gear_ratio	Gear ratio applied by this function
file_id	File name
mtime	Time at which file was last modified
retained_cycles	Which cycles were retained, as numerics
summary	Simple table showing work (in J) and net power (in W) for each cycle

Warning

Most systems we have encountered record Position data in millimeters and Force in millinewtons, and therefore this function assumes data are recorded in those units. Through a series of internal conversions, this function computes velocity in meters/sec, work in Joules, and power in Watts. If your raw data do not originate in millimeters and millinewtons, please transform your data accordingly and ignore what you see in the attribute units.

Author(s)

Vikram B. Baliga

References

Josephson RK. 1985. Mechanical Power output from Striated Muscle during Cyclic Contraction. Journal of Experimental Biology 114: 493-512.

See Also

[read_ddf](#), [select_cycles](#) [analyze_workloop](#)

Other data analyses: [analyze_workloop\(\)](#), [isometric_timing\(\)](#), [read_analyze_wl_dir\(\)](#)

Other data import functions: [as_muscle_stim\(\)](#), [get_wl_metadata\(\)](#), [read_analyze_wl_dir\(\)](#), [read_ddf_dir\(\)](#), [read_ddf\(\)](#)

Other workloop functions: [analyze_workloop\(\)](#), [fix_GR\(\)](#), [get_wl_metadata\(\)](#), [invert_position\(\)](#), [read_analyze_wl_dir\(\)](#), [select_cycles\(\)](#), [summarize_wl_trials\(\)](#), [time_correct\(\)](#)

Examples

```
library(workloopR)

# import the workloop.ddf file included in workloopR and analyze with
# a gear ratio correction of 2 and cycle definition of peak-to-peak
wl_dat <- read_analyze_wl(system.file("extdata", "workloop.ddf",
                                     package = 'workloopR'),
                        phase_from_peak = TRUE,
                        GR = 2, cycle_def = "p2p")
```

`read_analyze_wl_dir` *Read and analyze work loop files from a directory*

Description

All-in-one function to import multiple workloop .ddf files from a directory, sort them by mtime, analyze them, and store the resulting objects in an ordered list.

Usage

```
read_analyze_wl_dir(file_path, pattern = "*.ddf", sort_by = "mtime", ...)
```

Arguments

file_path	Directory in which files are located
pattern	Regular expression used to specify files of interest. Defaults to all .ddf files within file_path
sort_by	Metadata by which files should be sorted to be in the correct run order. Defaults to mtime, which is time of last modification of files.
...	Additional arguments to be passed to read_analyze_wl(), analyze_workloop(), select_cycles(), or read_ddf().

Details

Work loop data files will be imported and then arranged in the order in which they were run (assuming run order is reflected in mtime). Chiefly used in conjunction with summarize_wl_trials() and time_correct() if time correction is desired.

Value

A list containing analyzed_workloop objects, one for each file that is imported and subsequently analyzed. The list is sorted according to the sort_by parameter, which by default uses the time of last modification of each file's contents (mtime).

Warning

Most systems we have encountered record Position data in millimeters and Force in millinewtons, and therefore this function assumes data are recorded in those units. Through a series of internal conversions, this function computes velocity in meters/sec, work in Joules, and power in Watts. If your raw data do not originate in millimeters and millinewtons, please transform your data accordingly and ignore what you see in the attribute units.

Author(s)

Shreeram Senthivasan

References

Josephson RK. 1985. Mechanical Power output from Striated Muscle during Cyclic Contraction. Journal of Experimental Biology 114: 493-512.

See Also

[read_analyze_wl](#), [get_wl_metadata](#), [summarize_wl_trials](#), [time_correct](#)

Other data analyses: [analyze_workloop\(\)](#), [isometric_timing\(\)](#), [read_analyze_wl\(\)](#)

Other data import functions: [as_muscle_stim\(\)](#), [get_wl_metadata\(\)](#), [read_analyze_wl\(\)](#), [read_ddf_dir\(\)](#), [read_ddf\(\)](#)

Other workloop functions: [analyze_workloop\(\)](#), [fix_GR\(\)](#), [get_wl_metadata\(\)](#), [invert_position\(\)](#), [read_analyze_wl\(\)](#), [select_cycles\(\)](#), [summarize_wl_trials\(\)](#), [time_correct\(\)](#)

Other batch analyses: [get_wl_metadata\(\)](#), [summarize_wl_trials\(\)](#), [time_correct\(\)](#)

Examples

```
library(workloopR)

# batch read and analyze files included with workloopR
analyzed_wls <- read_analyze_wl_dir(system.file("extdata/wl_duration_trials",
                                             package = 'workloopR'),
                                 phase_from_peak = TRUE,
                                 cycle_def = "p2p", keep_cycles = 2:4)
```

read_ddf

Import work loop or isometric data from .ddf files

Description

read_ddf reads in workloop, twitch, or tetanus experiment data from .ddf files.

Usage

```
read_ddf(
  file_name,
  file_id = NA,
  rename_cols = list(c(2, 3), c("Position", "Force")),
  skip_cols = 4:11,
  phase_from_peak = FALSE,
  ...
)
```

Arguments

file_name	A .ddf file that contains data from a single workloop, twitch, or tetanus experiment
file_id	A string identifying the experiment. The file name is used by default.
rename_cols	List consisting of a vector of indices of columns to rename and a vector of new column names. See Details.
skip_cols	Numeric vector of column indices to skip. See Details.
phase_from_peak	Logical, indicating whether percent phase of stimulation should be recorded relative to peak length or relative to L0 (default)
...	Additional arguments passed to/from other functions that work with read_ddf()

Details

Read in a .ddf file that contains data from an experiment. If position and force do not correspond to columns 2 and 3 (respectively), replace "2" and "3" within `rename_cols` accordingly. Similarly, `skip_cols = 4:11` should be adjusted if more than 11 columns are present and/or columns 4:11 contain important data.

Please note that there is no correction for gear ratio or further manipulation of data. See `fix_GR` to adjust gear ratio. Gear ratio can also be adjusted prior to analyses within the `analyze_workloop()` function, the data import all-in-one function `read_analyze_wl()`, or the batch analysis all-in-one `read_analyze_wl_dir()`.

Please also note that organization of data within the .ddf file is assumed to conform to that used by Aurora Scientific's Dynamic Muscle Control and Analysis Software. YMMV if using a .ddf file from another source. The `as_muscle_stim()` function can be used to generate `muscle_stim` objects if data are imported via another function. Please feel free to contact us with any issues or requests.

Value

An object of class `workloop`, `twitch`, or `tetanus`, all of which inherit class `muscle_stim`. These objects behave like `data.frames` in most situations but also store metadata from the `ddf` as attributes.

The `muscle_stim` object's columns contain:

Time	Time
Position	Length change of the muscle, uncorrected for gear ratio
Force	Force, uncorrected for gear ratio
Stim	When stimulation occurs, on a binary scale

In addition, the following information is stored in the `data.frame`'s attributes:

<code>sample_frequency</code>	Frequency at which samples were collected
<code>pulses</code>	Number of sequential pulses within a stimulation train
<code>total_cycles_lo</code>	Total number of oscillatory cycles (assuming sine wave trajectory) that the muscle experienced. Cycles are defined with respect to initial muscle length (L0-to-L0 as opposed to peak-to-peak).
<code>amplitude</code>	amplitude of length change (again, assuming sine wave trajectory)
<code>cycle_frequency</code>	Frequency of oscillations (again, assuming sine wave trajectory)
<code>units</code>	The units of measurement for each column in the <code>data.frame</code> . This might be the most important attribute so please check that it makes sense!

Author(s)

Vikram B. Baliga and Shreeram Senthivasan

See Also

Other data import functions: [as_muscle_stim\(\)](#), [get_wl_metadata\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [read_ddf_dir\(\)](#)

Examples

```
library(workloopR)

# import the workloop.ddf file included in workloopR
wl_dat <-read_ddf(system.file("extdata", "workloop.ddf",
                             package = 'workloopR'),
                 phase_from_peak = TRUE)
```

read_ddf_dir

Import a batch of work loop or isometric data files from a directory

Description

Uses `read_ddf()` to read in workloop, twitch, or tetanus experiment data from multiple `.ddf` files.

Usage

```
read_ddf_dir(file_path, pattern = "*.ddf", sort_by = "mtime", ...)
```

Arguments

<code>file_path</code>	Path where files are stored. Should be in the same folder.
<code>pattern</code>	Regex pattern for identifying relevant files in the <code>file_path</code> .
<code>sort_by</code>	Metadata by which files should be sorted to be in the correct run order. Defaults to <code>mtime</code> , which is time of last modification of files.
<code>...</code>	Additional arguments to be passed to <code>read_ddf()</code> .

Details

Read in a `.ddf` file that contains data from an experiment. If position and force do not correspond to columns 2 and 3 (respectively), replace "2" and "3" within `rename_cols` accordingly. Similarly, `skip_cols = 4:11` should be adjusted if more than 11 columns are present and/or columns 4:11 contain important data.

Please note that there is no correction for gear ratio or further manipulation of data. See `fix_GR` to adjust gear ratio. Gear ratio can also be adjusted prior to analyses within the `analyze_workloop()` function, the data import all-in-one function `read_analyze_wl()`, or the batch analysis all-in-one `read_analyze_wl_dir()`.

Please also note that organization of data within the `.ddf` file is assumed to conform to that used by Aurora Scientific's Dynamic Muscle Control and Analysis Software. YMMV if using a `.ddf`

file from another source. The `as_muscle_stim()` function can be used to generate `muscle_stim` objects if data are imported via another function. Please feel free to contact us with any issues or requests.

Value

A list of objects of class `workloop`, `twitch`, or `tetanus`, all of which inherit class `muscle_stim`. These objects behave like `data.frames` in most situations but also store metadata from the `ddf` as attributes.

Each `muscle_stim` object's columns contain:

Time	Time
Position	Length change of the muscle, uncorrected for gear ratio
Force	Force, uncorrected for gear ratio
Stim	When stimulation occurs, on a binary scale

In addition, the following information is stored in each `data.frame`'s attributes:

<code>sample_frequency</code>	Frequency at which samples were collected
<code>pulses</code>	Number of sequential pulses within a stimulation train
<code>total_cycles_lo</code>	Total number of oscillatory cycles (assuming sine wave trajectory) that the muscle experienced. Cycles are defined with respect to initial muscle length (L0-to-L0 as opposed to peak-to-peak).
<code>amplitude</code>	amplitude of length change (again, assuming sine wave trajectory)
<code>cycle_frequency</code>	Frequency of oscillations (again, assuming sine wave trajectory)
<code>units</code>	The units of measurement for each column in the <code>data.frame</code> . This might be the most important attribute so please check that it makes sense!

Author(s)

Vikram B. Baliga and Shreeram Senthivasan

See Also

Other data import functions: [as_muscle_stim\(\)](#), [get_wl_metadata\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [read_ddf\(\)](#)

Examples

```
library(workloopR)

# import a set of twitch .ddf files included in workloopR
workloop_dat <- read_ddf_dir(system.file("extdata/wl_duration_trials",
package = 'workloopR'))
```

select_cycles	<i>Select cycles from a work loop object</i>
---------------	----------------------------------------------

Description

Retain data from a work loop experiment based on position cycle

Usage

```
select_cycles(
  x,
  cycle_def,
  keep_cycles = 4:6,
  bworth_order = 2,
  bworth_freq = 0.05,
  ...
)
```

Arguments

x	A workloop object (see Details for how it should be organized)
cycle_def	A string specifying how cycles should be defined; one of: "lo", "p2p", or "t2t". See Details more info
keep_cycles	The indices of the cycles to keep. Include 0 to keep data identified as being outside complete cycles
bworth_order	Filter order for low-pass filtering of Position via <code>signal::butter()</code> prior to finding L0
bworth_freq	Critical frequency (scalar) for low-pass filtering of Position via <code>signal::butter()</code> prior to finding L0
...	Additional arguments passed to/from other functions that make use of <code>select_cycles()</code>

Details

`select_cycles()` subsets data from a workloop trial by position cycle. The `cycle_def` argument is used to specify which part of the cycle is understood as the beginning and end. There are currently three options:

- 'lo' for L0-to-L0;
- 'p2p' for peak-to-peak; and
- 't2t' for trough-to-trough

Peaks are identified using `pracma::findpeaks()`. L0 points on the rising edge are found by finding the midpoints between troughs and the following peak. However the first and last extrema and L0 points may be misidentified by this method. Please plot your Position cycles to ensure the edge cases are identified correctly.

The `keep_cycles` argument is used to determine which cycles (as defined by `cycle_def` should be retained in the final dataset. Zero is the index assigned to all data points that are determined to be outside a complete cycle.

The `muscle_stim` object (`x`) must be a `workloop`, preferably read in by one of our data import functions. Please see documentation for `as_muscle_stim()` if you need to manually construct a `muscle_stim` object from another source.

Value

A `workloop` object with rows subsetting by the chosen position cycles. A `Cycle` column is appended to denote which cycle each time point is associated with. Finally, all attributes from the input `workloop` object are retained and one new attribute is added to record which cycles from the original data were retained.

Author(s)

Vikram B. Baliga and Shreeram Senthivasan

See Also

[analyze_workloop](#), [read_analyze_wl](#), [read_analyze_wl_dir](#)

Other data transformations: [fix_GR\(\)](#), [invert_position\(\)](#)

Other `workloop` functions: [analyze_workloop\(\)](#), [fix_GR\(\)](#), [get_wl_metadata\(\)](#), [invert_position\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [summarize_wl_trials\(\)](#), [time_correct\(\)](#)

Examples

```
library(workloopR)

# import the workloop.ddf file included in workloopR
wl_dat <- read_ddf(system.file("extdata", "workloop.ddf",
                             package = 'workloopR'),
                  phase_from_peak = TRUE)

# select cycles 3 through 5 via the peak-to-peak definition
wl_selected <- select_cycles(wl_dat, cycle_def = "p2p", keep_cycles = 3:5)

# are the cycles of (approximately) the same length?
summary(as.factor(wl_selected$Cycle))
```

summarize_wl_trials *Summarize work loop files*

Description

Summarize important info from work loop files stored in the same folder (e.g. a sequence of trials in an experiment) including experimental parameters, run order, and mtime.

Usage

```
summarize_wl_trials(wl_list)
```

Arguments

`wl_list` List of analyzed_workloop objects, preferably one created by `read_analyze_wl_dir()`.

Details

If several files (e.g. successive trials from one experiment) are stored in one folder, use this function to obtain summary stats and metadata and other parameters. This function requires a list of `analyze_workloop` objects, which can be readily obtained by first running `read_analyze_wl_dir()` on a specified directory.

Value

A data.frame of information about the collection of workloop files. Columns include:

<code>File_ID</code>	Name of the file
<code>Cycle_Frequency</code>	Frequency of Position change
<code>Amplitude</code>	amplitude of Position change
<code>Phase</code>	Phase of the oscillatory cycle (in percent) at which stimulation occurred. Somewhat experimental, please use with caution
<code>Stimulus_Pulses</code>	Number of stimulation pulses
<code>mtime</code>	Time at which file's contents were last changed (mtime)
<code>Mean_Work</code>	Mean work output from the selected cycles
<code>Mean_Power</code>	Net power output from the selected cycles

Author(s)

Vikram B. Baliga and Shreeram Senthivasan

References

Josephson RK. 1985. Mechanical Power output from Striated Muscle during Cyclic Contraction. *Journal of Experimental Biology* 114: 493-512.

See Also

[read_analyze_wl_dir](#), [get_wl_metadata](#), [time_correct](#)

Other workloop functions: [analyze_workloop\(\)](#), [fix_GR\(\)](#), [get_wl_metadata\(\)](#), [invert_position\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [select_cycles\(\)](#), [time_correct\(\)](#)

Other batch analyses: [get_wl_metadata\(\)](#), [read_analyze_wl_dir\(\)](#), [time_correct\(\)](#)

Examples

```
library(workloopR)

# batch read and analyze files included with workloopR
analyzed_wls <- read_analyze_wl_dir(system.file("extdata/wl_duration_trials",
                                             package = 'workloopR'),
                                 phase_from_peak = TRUE,
                                 cycle_def = "p2p",
                                 keep_cycles = 2:4
                                )

# now summarize
summarized_wls <- summarize_wl_trials(analyzed_wls)
```

<code>time_correct</code>	<i>Time correction for work loop experiments</i>
---------------------------	--------------------------------------------------

Description

Correct for potential degradation of muscle over time.

Usage

```
time_correct(x)
```

Arguments

`x` A data.frame with summary data, e.g. an object created by `summarize_wl_trials()`.

Details

This function assumes that across a batch of successive trials, the stimulation parameters for the first and final trials are identical. If not, DO NOT USE. Decline in power output is therefore assumed to be a linear function of time. Accordingly, the difference between the final and first trial's (absolute) power output is used to 'correct' trials that occur in between, with explicit consideration of run order and time elapsed (via `mtime`). A similar correction procedure is applied to work.

Value

A data.frame that additionally contains:

Time_Corrected_Work
Time corrected work output, transformed from \$Mean_Work

Time_Corrected_Power
Time corrected net power output, transformed from \$Mean_Power

And new attributes:

power_difference
Difference in mass-specific net power output between the final and first trials.

time_difference
Difference in mtime between the final and first trials.

time_correction_rate
Overall rate; power_difference divided by time_difference.

Author(s)

Vikram B. Baliga and Shreeram Senthivasan

See Also

[summarize_wl_trials](#)

Other workloop functions: [analyze_workloop\(\)](#), [fix_GR\(\)](#), [get_wl_metadata\(\)](#), [invert_position\(\)](#), [read_analyze_wl_dir\(\)](#), [read_analyze_wl\(\)](#), [select_cycles\(\)](#), [summarize_wl_trials\(\)](#)

Other batch analyses: [get_wl_metadata\(\)](#), [read_analyze_wl_dir\(\)](#), [summarize_wl_trials\(\)](#)

Examples

```
library(workloopR)

# batch read and analyze files included with workloopR
analyzed_wls <- read_analyze_wl_dir(system.file("extdata/wl_duration_trials",
                                             package = 'workloopR'),
                                 phase_from_peak = TRUE,
                                 cycle_def = "p2p", keep_cycles = 2:4)

# now summarize
summarized_wls <- summarize_wl_trials(analyzed_wls)

# mtimes within the package are not accurate, so we'll supply
# our own vector of mtimes
summarized_wls$mtime <- read.csv(
  system.file(
    "extdata/wl_duration_trials/ddfmtimes.csv",
    package="workloopR"))$mtime

# now time correct
timecor_wls <- time_correct(summarized_wls)
```

timecor_wls

trapezoidal_integration

Approximate the definite integral via the trapezoidal rule

Description

Mostly meant for internal use in our analysis functions, but made available for other use cases. Accordingly, it does not strictly rely on objects of class `muscle_stim`.

Usage

```
trapezoidal_integration(x, f)
```

Arguments

x	a variable, e.g. vector of positions
f	integrand, e.g. vector of forces

Details

In the functions `analyze_workloop()`, `read_analyze_wl()`, and `read_analyze_wl_dir()`, work is calculated as the difference between the integral of the upper curve and the integral of the lower curve of a work loop.

Value

A numerical value indicating the value of the integral.

Author(s)

Vikram B. Baliga

References

Atkinson, Kendall E. (1989), *An Introduction to Numerical Analysis* (2nd ed.), New York: John Wiley & Sons

See Also

[analyze_workloop](#), [read_analyze_wl](#), [read_analyze_wl_dir](#)

Examples

```
# create a circle centered at (x = 10, y = 20) with radius 2
t <- seq(0, 2 * pi, length = 1000)
coords <- t(rbind(10 + sin(t) * 2, 20 + cos(t) * 2))

# use the function to get the area
trapezoidal_integration(coords[, 1], coords[, 2])

# does it match (pi * r^2)?
3.14159265358 * (2^2) # very close
```

Index

- * **batch analyses**
 - get_wl_metadata, 9
 - read_analyze_wl_dir, 15
 - summarize_wl_trials, 23
 - time_correct, 24
 - * **data analyses**
 - analyze_workloop, 2
 - isometric_timing, 11
 - read_analyze_wl, 13
 - read_analyze_wl_dir, 15
 - * **data import functions**
 - as_muscle_stim, 5
 - get_wl_metadata, 9
 - read_analyze_wl, 13
 - read_analyze_wl_dir, 15
 - read_ddf, 17
 - read_ddf_dir, 19
 - * **data transformations**
 - fix_GR, 7
 - invert_position, 10
 - select_cycles, 21
 - * **tetanus functions**
 - fix_GR, 7
 - invert_position, 10
 - * **twitch functions**
 - fix_GR, 7
 - invert_position, 10
 - isometric_timing, 11
 - * **workloop functions**
 - analyze_workloop, 2
 - fix_GR, 7
 - get_wl_metadata, 9
 - invert_position, 10
 - read_analyze_wl, 13
 - read_analyze_wl_dir, 15
 - select_cycles, 21
 - summarize_wl_trials, 23
 - time_correct, 24
- analyze_workloop, 2, 8–10, 12, 15–17, 22, 24–26
- as_muscle_stim, 5, 9, 15, 16, 19, 20
- fix_GR, 5, 7, 9, 10, 12, 15, 17, 22, 24, 25
- get_wl_metadata, 5, 7, 8, 9, 10, 15–17, 19, 20, 22, 24, 25
- invert_position, 5, 8, 9, 10, 12, 15, 17, 22, 24, 25
- isometric_timing, 5, 8, 10, 11, 15, 16
- read_analyze_wl, 5, 7–10, 12, 13, 16, 17, 19, 20, 22, 24–26
- read_analyze_wl_dir, 5, 7–10, 12, 15, 15, 19, 20, 22, 24–26
- read_ddf, 5, 7, 9, 15, 16, 17, 20
- read_ddf_dir, 7, 9, 15, 16, 19, 19
- select_cycles, 5, 8–10, 15, 17, 21, 24, 25
- summarize_wl_trials, 5, 8–10, 15–17, 22, 23, 25
- time_correct, 5, 8–10, 15–17, 22, 24, 24
- trapezoidal_integration, 26